ABDOMEN, method of opening, 62	Absence of the internal genital organs, 125
Abdominal cyst, 582	of the labia majora, 123
hemorrhage, after-treatment, 684	of the nymphæ, 123
	of the ovary, 131
hysterectomy, 410	of the uterus, 125
incision, closure of, 62, 63	
operations, closure of the incision in, 63	of the vagina, 124
dressing the wound in, 64	Absorbent cotton, sterilization of, 54
opening the abdomen in, 62	Adenoma, benign, of the uterus, 196
preparatory treatment in, 60	malignant, of uterine mucous mem-
pregnancy, 519	brane, 378
section, after-treatment, 670	ovarian, 565
tumor, adhesions of, 591	papillary, of the uterus, 197
exploratory puncture of, 592	Adhesions, bread-and-butter, 445
pedicle of, 591	labial, 153
treatment, 593	from neglected pelvic abscess, 517
	of the ovary, 444
wall, fatty, 588	and Fallopian tube, 443
Abnormalities of the cervix uteri, 130	in polyio povitopitis 465
of the clitoris, 123	in pelvic peritonitis, 465
of the Fallopian tubes, 130	separation of, 445
of either or both genital zones, 120	spider-web, 444
of the hymen, 123	After-treatment of bladder in operations,
of the ovaries, 131	675
of the uterus, 125	in gynecological operations, 670
of the vagina, 124	of operations, bathing in, 678
of the vulva, 123	drainage-tube in, 680
Abortion, solicitation of patients for, 90	dressings in, 683
tubal, 525	drink in, 672
diagnosis, 536	flatulence in, 678
Abscess-cavities, multiple, in pyosalpinx,	food in, 672
491	purgatives in, 673
of the labia, 158	rest in, 670
of the ovary, 452, 462	vomiting in, 671
diagnosis, 463	Alexander's operation, 299, 302
prognosis, 474	anatomy, 293, 302, 303
symptoms, 453, 462	difficulties of, 300, 306
	indications for, 301
pelvic, 447	Amenorrhea, 86
course, 447	causes, 86
drainage of, 488	diagnosis, 88
evacuation of, 489	prognosis, 89
extraperitoneal treatment, 492	treatment, 90
neglected, 516	Amputation of cervix, 373
opening into bowel, 489	after treetment 338 376
symptoms, 447	after-treatment, 338, 376
treatment, 490	by galvano-cautery, 375
stitch-hole, 683	high, 373
treatment, 684	procedure in, 374
suburethral, cause, 626	simple, 333
diagnosis, 626	vaginal, in inversion, 352
symptoms, 626	wedge-shaped, 335
treatment, 626	of the uterus for prolapse, by Baldy's
of vulvo-vaginal glands, 157	method, 327
Absence of the clitoris, 123	Anesthesia for examination, 29
of the Fallopian tube, 130	Angioma of the vulva, 172
of the genital organs, 122	Anomalies of the female generative organs,
of the hymen, 124	118
	coo

Anteflexion, 268	Benign uterine neoplasms, 387
applications to endometrium in, 275	Bicornate uterus, 127
bladder-attachment in, 271 complications, 270	diagnosis of, from abdominal cyst
dilatation in, 276	Bimanual examination, 25
drugs in, 277	palpation in pelvic inflammation
effect of lacing on, 271	thorough, 460
forms of, 268	Bipartite bladder, 622
indications for operation in, 276	Bladder, absence of, complete, 628
intra-abdominal pressure in, 271	adenoma of, 653
with menopause, 277 treatment, 278	in anteflexion, 271 bipartite, 622
pathology, 269	carcinoma of, 653, 369
physiologic changes in, 271	care of, after operation, 675
with retroversion, 270	in operative treatment of reposi-
treatment of enlarged cervix in,	
273	congenital malformation of, 628
stem-pessaries in, 275, 276	cystoscope in the, 611
symptoms, 269 treatment, 272, 273	dermoid cyst of, 653 displacement of, 632
after operation for, 276	diagnosis, 632
stenosis in, 275	downward, 632
for sterility in, 273	symptoms, 632
in unmarried and married, 270	treatment, 632
Anterior colporrhaphy, 338	upward, 632
Sims's operation for, 338	distended, 589
Stoltz's operation for, 339 Antisepsis in gynecologic operations, 44, 45	double, 629 examination of, artificial landmarks in
Apoplectic ovum, 528	614
Application to the endometrium in ante-	natural landmarks in, 614
flexion, 275	with cystoscope, 613
Applications, uterine, 203	exstrophy of, 629
Applicators, uterine, 34	forms of, 629
Apron of Hottentot, 152	operations for, 631
Areolar cyst of the ovary, 563 Artificial impregnation in sterility, 116	symptoms, 630 treatment, 630
Ascites from ovarian cyst, 578	extroversion of, 629
diagnosis of, from ovarian cyst, 586	foreign body in, 633
Asepsis, 45	diagnosis, 634
Aspirator, 42	symptoms, 634
Assistants, preparation of, 48	treatment, 634
Astringents, 96	implantation, sutures in, 660
Atresia of the hymen, 123 of the urethra, 619	ureter in, 660 incision in, after-treatment of, 698
treatment, 619	injuries to, in ovariotomy, 604
of the vagina, 176	neoplasms of, after-treatment on re
course, 177	moval of, 657
diagnosis, 178	diagnosis, 655
prognosis, 180	from the epithelium of, 653
symptoms, 178 treatment, 180	etiology, 654 from the muscularis, 653
varieties, 177	operations for removal of, 655
Atrophic endometritis, 200	symptoms, 654
	treatment, 655
Baldy's operation for prolapse, 326	palliative, 657
indications for, 329	papilloma of, 652
ligatures in, 327, 328	previous preparation of patient in dis
modification of, 329	ease of, 611
results of, 328 Ball pessary, 332	prolapse of, 632 diagnosis, 633
Barrenness, 111	symptoms, 633
treatment, 115	through a patulous urethra, 632
Bartholin's glands, inflammation of, 157	treatment, 633
Bassini's operation, 305	sarcoma of, 653
Bathing in after-treatment of operation,	separation of, from uterus in hysterec
678	tomy, 412

Bladder, sutures in, after operation on neo- | Carcinoma of the vagina, treatment, palliative, 359 plasm of, 657 of the vulva, 355 tuberculosis of, 649 diagnosis, 650 pathological anatomy, 649 Catarrhal salpingitis, 455 symptoms, 650 diagnosis, 457 treatment, 651 physical signs in, 455 tumor of, 652 Catgut, sterilization of, 52 Bloodletting in pelvic inflammation, 479 Bowels, care of, after cœliotomy, 677, 679 Catheter, renal, 610 in pelvic inflammation, management of, 476 Braun's colpeurynter, 321, 322, 350 ureteral, 612 urethral, 610 intra-uterine syringe, 213 Bread-and-butter adhesions, 445 Broad-ligament cyst, 544, 559 of ureter, 667 micro-cyst of, 560 Ligament papillomatous, disease of, 384 Cautery, galvano-, 375, 401 structure in, diagram of, 558 Cellulitis, pelvic, 431, 446, 466 Byford's uterine elevator, 33 diagnosis, 466, 467 physical signs in, 454 CALCIFICATION of fibroid, 392 prognosis, 474 of ovarian cyst, 566 symptoms, 454 Calcified corpus luteum, 566 Cervical artery, rupture of, 232 Calculus of the ureter, 664 Cervix, abnormalities of, 130 diagnosis, 665 amputation of, 373 symptoms, 665 treatment, 666 high, 373 vesical, 634 simple, 333 diagnosis, 637 etiology, 635 flexion, 273 prognosis, 638 carcinoma of, 366 symptoms, 636 after-treatment in, 377 treatment, 638 operation in, 695 varieties, 635 course, 367, 368, 370 Carcinoma of bladder, 356 diagnosis, 370 of cervix, 366 forms of, 367 after-treatment, 377 hemorrhage in, 368 causes, 367 symptoms, 368 course, 367, 368, 370 treatment, 372 diagnosis, 370 palliative, 373 discharges in, 377 radical, 373 forms, 367 ulceration in, 371 symptoms, 368 cicatricial stenosis of, 226 treatment, 372 cystic degeneration of, 223 palliative, 373 digital examination of, 21 radical, 373 dilatation of, 211 ulceration in, 371 elongation of, 331 of the ovary, 382 treatment, 333 symptoms, 384 treatment, 385 367 periurethral, 356 fibroid polyp of, 387 of the ureter, 668 of the urethra, 356 terectomy, 330 treatment, 356 glandular polyp of, 223 of the body of the uterus, 378 hypertrophy of, 226 diagnosis, 380 inflammation of, 222 symptoms, 379 laceration of, 231 treatment, 381 of the uterus, probability of return after bilateral, 232 operation, 382 of the vagina, 358 diagnosis, 358 etiology, 358 operation for, 235 symptoms, 358 treatment, operative, 359

Carcinomatous infiltration, extent of, 372 Caseous tuberculosis of the peritoneum, 147 self-retaining, in vaginal hysterectomy, Catheterization of Fallopian tube, 443 Caustics, the use of, in carcinoma of cervix, by galvano-cautery, 375 antero-posterior section of, for anteepithelioma of mucous membrane of, fixation to abdominal wall after hysafter-appearance of, 232 immediate repair of, 232 incision in the angles of, 235 method of denudation in, 236 preparatory to operation, 234

Cervix, laceration of, sutures in, 236	Congenital retroflexion, 278
symptoms, 232	retroversion, 278
unilateral, 233	Conical dilators, 609
mucous membrane of, 191	Corpus luteum, calcification of, 566
and perineum, after-treatment in com-	cyst of, 561
bined operation on, 696	typical, 547
scarification of, 479	Counter-irritation in pelvic inflammation
	480
section of, in anteflexion, 274	
supravaginal hypertrophy of, 330	Curettage in acute pelvic inflammations
pathology, 330	after-treatment, 219
symptoms, 331	after amputation of the cervix, 338
treatment, 331	in endometritis, 202, 206
tuberculosis of, 135	in Freund's operation, 324
Cessation of menses, 86	in hysterectomy, 411
Chancre of the vulva, 163	after ovariotomy, 502
Chancroid of the vulva, 163	in pelvic inflammation, 476
Change of life, 71	in pelvic inflammations, 214
Changes following removal of uterine ap-	in posterior vaginal section, 468
pendages, 516	for post-operative menstruation, 513
Chloride-of-zinc pencils, treatment of endo-	in prolapse, 323
metritis with, 201	in prophylaxis of pelvic inflammation
Climacteric, 71	476
Clitoris, absence of, 123	technique of, 210
hypertrophy of, 152	in vaginal hysterectomy, 504
tumor of, 171	Curette, dull, 42
Cloaca, recto-vaginal, 124	uterine, 212
Coccygodynia, 172	Cyst, abdominal, 582
Coccyx, pain in, 172	pedicle in all varieties of, 571
	£
palpation of, 24	areolar, 563
tenotomy of, 172	of broad ligament, 544
Cœliotomy, after-treatment of, 670	of corpus luteum, 561
bathing after, 678	dermoid, 567
care of bladder after, 675	contents of, 567
cystitis after, 677	diagnosis, 399
drainage-tube in, 680	of Fallopian tube and ovary, 559
dressings after, 683	of the hydatid of Morgagni, 560
drink after, 672	micro-, of broad ligament, 560
fistulæ after, 689	multilocular, 564
flatulence after, 678	of the ovary, 511
hemorrhage after, 684	ascites in, 578
hernia after, 691	atheromatous changes in, 566
phlegmasia alba dolens after, 694	calcification of, 566
purgatives after, 673	character of, 565
rest after, 670	complicated by uterine myomata
sepsis in, 686	587
shock in, 685	course, duration, and termination
technique of, 60	578
vomiting following, 671	diagnosis of, from ascites, 586
Colic, uterine, 102	emptying of, 594
Colpeurynter, Braun's, 350	etiology, 571
Colpo-perineorrhaphy, 323, 340	fatty degeneration of, 566
object of, 340	glandular, proligerous, 563
Colporrhaphy, anterior, 323, 338	hemorrhage in, 574
Complete rupture of the recto-vaginal sep-	intestinal obstruction from pres
tum, 247	sure of, 578
causes, 248	large, 562
immediate operation for,	
249	proliferating, 579
intermediate operation	results of pressure from, 573
for, 251	rupture of, in ovariotomy, 602
secondary operation for,	simple or follicular, 561
252	etiology, 561
symptoms, 248	strangulation from pressure of, 578
Conception, requirements on part of woman	symptoms, 571
to, 272	
Condyloma of urethra, 627	and uterus, removal by hemisec

Cyst, parovarian, 570	Diffuse sarcoma of uterus, symptoms, 363
tubo-ovarian, 561	Dilatation of the cervix, 211
unilocular, 563	of the genital tract for examination, 38
of the urethra, 628	of the genital tract for examination, so
causes, 628	of the uterus, gradual, 40
symptoms, 628	
treatment, 628	rapid, 40
of the vagina, 188	without curettage in anteflexion, 276
of the vulva, 169	Dilator, conical, 609
Cystic tumor, diagnosis, 590	Diphtherie of the males 100
mistaken diagnosis, 589	Diphtheria of the vulva, 160
Cystitis, 640	Douche, vaginal, 186, 478
	Douches in pelvic inflammation, 478
chronic, treatment, 646	Drainage in after-treatment of operation,
Emmet's operation in, 649	680
diagnosis, 645 dilatation of urethra in, 648	gauze, 682
	glass tube, 601
diphtheritic, 643	in neglected pelvic abscess, 517
drainage in, 649	in ovariotomy, 600
etiology, 640	of pelvic abscess, 488
manner of entrance of organisms	
in, 641	501
predisposing causes, 642	Drainage-tube, glass, 501, 680
exfoliative, 643	care of, 680
forms, 642	suppuration with, 682
hematuria in, 645	syringe for cleansing, 680
organisms found in, 642	time for removal of, 681
pain in, 644	use of, 681
pathologic anatomy, 643	Drains, glass, 56
prognosis in, 646	Mikulicz, 55, 682
symptoms, 644	roll-gauze, 55
treatment, 646-648	sterilization of, 55
tubercular, 649	Dressings for abdominal incision, 306
diagnosis, 650	after abdominal section, 683
pathologic anatomy, 640	in after-treatment of operation, 683
symptoms, 650	sterilization of, 54
treatment, 651	Drink in after-treatment of operation, 672
urine in, 644	Dudley's operation for retrodisplacement
Cystocele, 316	of the uterus, 300
Stoltz's operation for, 340	Dull curette, 42
Cystoma, glandular, 564	Duplex uterus, 129
of ovary, 383	Dysmenorrhea, 97
papillary, 566	in anteflexion, 275
proliferating, 562	congestive, 99
Cystoscope, 608	diagnosis, 104
in the bladder, 611	prognosis, 104
in diagnosis of calculus, 637	symptoms, 102
introduction of, 613	treatment, 107
Kelly's, 609	description of, 97
Cystotomy for calculus, 640	diagnosis, 103
	intermenstrual, 98
Decidual from ectopic gestation expelled	mechanical, 100
from uterus, 533	diagnosis, 104
photomicrograph of, 535	prognosis, 104
menstrualis, 81	symptoms, 102
reflexa, 84	treatment, 107
in situ in ectopic gestation, 534	membranous, 100, 535
vera, 84	prognosis, 105
Defectus uteri, 125	symptoms, 101, 103
Dermoid cyst, 567	treatment, 109
contents of, 567	neuralgic, 99
diagnosis, 399	diagnosis, 103
ovarian, 568	prognosis, 104
Déschamp's needle, 410-413, 415	symptoms, 101
Desmoid tumor, 588	treatment, 105
Didelphic uterus, 129	ovarian, 100
Diet in pelvic inflammation, 481	prognosis, 105

Dysmenorrhea, ovarian, symptoms, 103 treatment, 104 pathology of, 99	Endometritis, septic, acute, 204 chronic, 205 symptoms, 205
prognosis, 104 treatment, 105	treatment, 206 simple, 195
varieties of, 99	atrophic, 196
Dysuria, 316	symptoms, 200
For Larry 105	hypertrophic, 195, 198
ECRASEUR, 405 in hysterectomy, 406	treatment, 201 applications in, 203
Ectopic gestation, 518	Endometrium, anatomy of, 190
decidua from, 533	applications to, 203, 276
photomicrograph of, 535	method of reproduction of, 217
diagnosis, 532 etiology, 519	physiology of, 192 treatment of, for dysmenorrhea, 276
exciting causes, 521	Epispadias in the female, 123
extra-peritoneal rupture of, treat-	Epithelioma of cervical mucous membrane,
ment, 541	367
with fibroid of uterus, 534	of cervix, 312
galvano-puncture in, 539 hemorrhage in, 522	of external genitals, 353 development of, 353
history, 518	etiology, 354
intraperitoneal rupture of, treat-	treatment, 355
ment, 540	ulcers in, 354
pathology, 510	of the uterine mucosa, 378
period of rupture of, 527 periods in treatment, 538	of the vagina, 358 diagnosis, 358
peritoneum in, 523	etiology, 358
result of rupture in, 522	symptoms, 358
	Ergot, treatment of fibroid tumors of the
into positoncel covity 594	uterus by, 400, 401 Erweineles of the vulve 160
into peritoneal cavity, 524 transverse section of pelvis in, 524	Erysipelas of the vulva, 160 Examination under anesthesia, 29
treatment, 538	bimanual, 25
electricity in, 539	digital, per rectum, 23
tubal, rupture in, 540	per vaginam, 21
tubo-peritoneal, 524 varieties, 518	dilatation of the genital tract for, 38 by instruments, 30
menstruation, 82	ocular, 20
Eczema of the vulva, 159	of the female pelvic organs, 17
Electricity in amenorrhea, 92	preparation for, 18
in treatment of ectopic gestation, 539	rectal, 461
of endometritis, 220 of pelvic inflammation, 484, 485	Simon's method of, 38 by speculum, 33
Elephantiasis of the vulva, 168	of the vaginal entrance, 29
Elevator, uterine, 32	Exstrophy of the bladder, 629
Byford's, 33	symptoms, 630
Sims's, 32 Elongation of cervix, 331	treatment, 631 External genitals, epithelioma of, 353
treatment, 333	malignant diseases of, 353
Emmenagogues, 91	Extra-uterine gestation, 518
Emmet's operation for calculus, 640	decidua from, 533
of trachelorrhaphy, 323	photomicrograph of, 535
Endocervicitis, 222 glandular, 223	diagnosis, 532 etiology, 519
gonorrheal, 222	exciting causes, 521
septic, 222	extraperitoneal rupture of, treat-
treatment, 225	ment, 541
Endometritis, electricity in, 220	with fibroid of uterus, 534
glandular, 197 gonorrheal, 208	galvano-puncture in, 539 hemorrhage in, 522
pathology, 208	history, 518
symptoms, 208	intraperitoneal rupture of, treat-
treatment, 209	ment, 540
interstitial, 200 septic, 204	pathology, 520 period of rupture of, 527
copute, zoz	period of rupture or, our

Extra-uterine gestation, periods in treat-	
ment, 538	culated, 391
peritoneum in, 523	subserous, method of removal of, 404
result of rupture in, 522	summary of treatment of, 420
rupture of, fetal life continuing in,	symptoms, 394 treatment, 400
into peritoneal cavity, 524	by electricity, 401
transverse section of pelvis in, 524	by ergot, 400
treatment, 538	general considerations in, 418
electricity in, 539	by vaginal enucleation, 402
tubal rupture in, 540	tuberculosis of the peritoneum, 146
tubo-peritoneal, 524	of the vagina, 189
varieties, 518	of the vulva, 169
menstruation, 82	Fibroids, intraligamentous, 398, 409, 417
pregnancy, diagnosis from hematosal- pinx, 458	Fibroma of ovary, 569 Fibro-myoma of uterus, 389
exciting causes, 521	interstitial, diagnosis, 397
Extroversion of the bladder, 629	submucous, diagnosis, 396
symptoms, 630	subserous, diagnosis, 398
treatment, 631	Fibro-myomata of ovary, 568
	Fibro-sarcoma of uterus, 361
FALLOPIAN tube, abnormalities of, 130	symptoms, 363
absence of, 130	Fistula in coeliotomy, 512
anatomy of, 548	fecal, 257, 265, 689
bimanual palpation of, 27 displacements of, 552	after ovariotomy, 604 symptoms, 266
treatment, 552	treatment, 690
function of, 550	genital, 257
gravid, 521	after gynecologic operations, 689
of Macaque monkey, 548	indications for methods of treatment,
malformation of, 551	260, 261
normal, 433	indications for time of treatment, 260
and ovary, adhesions of, 443	intervisceral, 512 persistent, treatment, 260
showing adhesions, 438 of Panolian deer, 549	recto-vaginal, 266
pregnant, 527	sutures in, 267
rupture of, directions of, 522	treatment, 266
section of, 550	ureteral, diagnosis, 258
stricture of uterine opening of, 438	suture of, 259
tuberculosis of, 139	treatment, 258
Fecal fistula, 265	uretero-vaginal, treatment, 259
tumor, 589 Female genitalia, malignant diseases of, 353	urethral, 265 treatment, 265
Fergusson speculum, 657	urinary, 257, 689
Fibroid of the uterus, 389	vaginal, 262
calcareous degeneration of, 392	causes, 262
cause of death from, 396	complications, 263
classification, 389	forms and sizes, 262, 263
complicated by ectopic gestation,	sutures in operation for, 264, 265
534	treatment, 263
complications met during hyster- ectomy for, 417	vesical, various forms of, 259 vesico-uterine, 259
diagnosis, 396	treatment, after operation, 689
general symptoms, 396	vesico-utero-vaginal, 262
hemorrhage in, 395	vesico-vaginal, 262
hysterectomy for, results of, 420	Flap splitting method for complete lacera-
interstitial, 391, 392	tion, 345
nodular, 394, 403	for incomplete laceration, 344
pain in, 394, 399	objections to, 344
pathology, 389 pedunculated, 393	for perineorrhaphy, 344 Flatulence after operation, 678
polyp, 387	Flexion of uterus as a cause of sterility, 272
of uterus, 388	Food in after-treatment of operation, 672
pressure-symptoms in, 395	Forceps, mouse-toothed, 610
removal by morcellation, 402	Foreign body in bladder, 633
submucous, 390, 397	diagnosis, 634

Foreign body in bladder, symptoms, 634	Hermaphrodism, pseudo-, 121
treatment, 634	true, 120
Freund's operation, 324	Hernia, after coeliotomy, 691
cases suitable for, 326	after gynecologic operation, 691
Frozen section of Berry Hart, 523	labialis inguinalis, 166
CALVANO DINCTUPE in actoric restation	vaginalis labialis 166
GALVANO-PUNCTURE in ectopic gestation, 539	pudendal, 166 vaginalis labialis, 166 ventral, 588
Gärtner's duct, 570	possibility of, 309
Gauze, sterilization of, 55	sutures in place for repair of, 692
Genital fistula, 257	Herpes of the vulva, 158
Genitalia, absence of, 119	Hottentot apron, 152
anomalies of, 118	Hydatid of Morgagni, cyst of, 560
external, absence of, 119	Hydramnios, 584
development of, 118	Hydrocele of the labium majus, 165
internal, anomalies of, 125	Hydronephrosis from prolapse, 312
tuberculosis of, 132	Hydrosalpinx, 534, 435, 448
Gestation, ectopic, 518	diagnosis, 458
diagnosis, 532	physical signs, 449, 455 prognosis, 473
etiology, 519 exciting causes, 521	symptoms, 449
history, 518	Hymen, absence of, 124
pathology, 520	anomalies of, 123
period of rupture of, 527	imperforate, 176
peritoneum in, 523	Hyperesthesia, vulvo-vaginal, 173
results of rupture in, 522	Hyperinvolution, 229
tubo-peritoneal, 524	Hypertrophic endometritis, 198
varieties, 518	Hypertrophy of cervix, supravaginal, 330
tubal, 518	pathology of, 330
varieties, 519	symptoms, 331
Glandular cystoma, 564 Glass drains, 57	treatment, 331
Gonorrheal vulvitis, 162	of external genitals, 152 Hypnotism in amenorrhea, 92
Gonormal varvitis, 102	Hypospadias, 619
Hands, preparation of, for operation, 48	in female, 123
Hegar's operation for artificial menopause,	treatment, 619
419	Hysterectomy, abdominal, operation of, 41
for colpo-perineorrhaphy, 323, 340	complete operation for, 414
profile view of, 342	adhesions found in, 417
Hematocele, pelvic, 530	cervical stump in fixation after, 330
from ectopic gestation, 537	complications met in operation of, 417
etiology, 531	418 for Charil 410
physical signs, 531 Hematoma, pelvic, 530	for fibroid, 410
changes in, 532	general considerations, 419 results, 420
from ectopic gestation, 537	in inversion, 352
etiology, 531	operation of, 415, 416
physical signs, 531	supravaginal, 405
of the vulva, 164	extraperitoneal amputation, meth
Hematometra, 82	od of, 405
in cancer of the cervix, 369	intra-abdominal method, 407
Hematosalpinx, 436, 449, 459	total abdominal, 410
diagnosis, 458	vaginal, 502
from extra-uterine pregnancy, 458	after-treatment, 696
physical signs in, 455 prognosis, 473	clamp operation of, 503 dangers of, 513
symptoms, 449	when the uterus is large, 511
Hematuria from calculus, 636	delivery of adnexa in, 507, 508
Hemisection of uterus in vaginal hyster-	hemisection of uterus in, 511
ectomy, 511	importance of removal of adhesion
Hemorrhage after celiotomy, 684	in, 509
constitutional symptoms, 685	incisions in, 504
differentiation of, from shock, 685	instruments in, 512
following abdominal section, 684	manner of delivering fundus in
Hermanhrodism elessification 190	505, 506
Hermaphrodism, classification, 120	steps in, 505, 506

Hysterorrhaphy, 301, 307 effects of, 310 object of, 310 objections to, 309 performance of, 307, 308 sutures in position in, 307 IMPERFORATE hymen, 176, 178 Incision in Alexander's operation, 304 post-vaginal, 481 Incomplete rupture of the recto-vaginal septum, 239 denudation of, 242 suture of, 244 symptoms, 241 treatment, 241 Infertility, 111 Infravaginal elongation of the cervix, 331 Infusion, intravenous, 67 saline, 66 subcutaneous, 67 Instrumental examination, 30 Instruments, preparation of, 49 Internal genital organs, absence of, 125 Interstitial myoma of uterus, enucleation of, 405 ovaritis, 449, 459 symptoms, 449, 450 salpingitis, 449, 459 prognosis, 473 symptoms, 449, 450 tubal pregnancy, 525 diagnosis, 526 direction of rupture in, 526 with intraperitoneal rupture, treatment, 543 Intestinal obstruction from pressure of cyst, 578 Intestines in vaginal hysterectomy, 509 Intraligamentous fibroid, 409 modification of intra-abdominal method of hysterectomy for, 409 Intravenous infusion, 67 Inversion of the uterus, 347 causes, 347 causes of death in, 348 diagnosis, 348 hysterectomy in, 352 prognosis, 349 symptoms, 347 Thomas's operation for, 351 treatment, 349 Iodine in endometritis, 202 Iodoform gauze in vaginal hysterectomy, 509 Iodoformized gauze, sterilization of, 55 Irrigation of vagina, 186 Kelly's pad, 62 Knee-chest position, 20 for vaginal tamponade, 322 Knot, Staffordshire, 498 Tait's, 498 Kraurosis vulvæ, 175

Labia, abscess of, 158

absence of, 123

707 Labia, adhesions of, 153 hernia into, 166 hydrocele of, 165 majora, absence of, 123 hypertrophy of, 152 minora, hypertrophy of, 152 Laceration of the cervix uteri, 231 after-appearance of, 232 bilateral, 232 immediate repair of, 232 incision in the angles of, 235 method of denudation in, 236 operation for, 235 preparatory treatment to operation for, 234 sutures in, 236 symptoms, 232 unilateral, 233 Signmentt_broat Lacerations of the perineum, 238 as a cause of prolapse, 313 Lateral flexions, 278 Left lateral position, 19 Ligature, braided silk, 414 catgut, 599 figure-of-eight, 497, 498 preparation of, 50 rubber, method of fastening, 406 silk, 414 triple interlocking, 599 Lipoma of the vulva, 171 Lithotomy position, 415 Lithotrity, 638 after-treatment in, 640 contraindications to, 639 Lupus of the vulva, 132 Malformation of bladder, congenital, 628 Malignant diseases of the external genitals, 353 of the female genitalia, 353 of the vagina, 357 Massage in pelvic inflammation, 486, 487 Mechanical dysmenorrhea, 100 diagnosis, 103 prognosis, 105 symptoms, 102 treatment, 105 Membranous dysmenorrhea, 535 Menopause, 71 with anteflexion, 277 artificial, 73, 514 definition, 71 description, 71 diagnosis, 74 effect of, on pelvic inflammation, 473 Hegar's or Tait's operation for artificial, 419 irregular, 73 pathology, 74 prognosis, 75 after removal of appendages, 501, 513 sudden, 73

synonyms, 71

treatment, 75

time of, 73

Menorrhagia, 93

Menorrhagia, causes, 93	Oöphoritis, acute, course, 556
pathology, 95	etiology, 556
prognosis, 95	symptoms, 556
treatment, 95	termination, 556
between periods, 96	treatment, 556
Menses, retention of, 82	Operating-room, preparation of, 46
Menstrual discharge, amount of, 79	Operational hernia, 691
composition, 78 source, 79	Operations, bathing after, 678
pad, 85	care of bladder after, 675
Menstruation, 69	dressings after, 683
absence of, 86	drink after, 672
after removal of appendages, 513	fistula after, 689
appearance of, 71	flatulence after, 678
associate symptoms, 81	general details for, 65
cessation of, 86	hemorrhage after, 684
duration, 70	hernia after, 691
during pregnancy, 84 ectopic, 82	phlegmasia alba dolens after, 694
excessive, 93	preparations for, 43
management of, 85	purgatives after, 693 rest after, 670
and ovulation, 83	sepsis in, 686
painful, 97	shock in, 685
in pelvic inflammation, 451, 476	technique of, 43, 60
regularity of, 69	vomiting after, 671
suppression of, 85	Operator, preparation of, 48
synonyms, 69 theories of, 83	Outlet, vaginal, relaxation of, in dorsal po-
Methods of examination, 20	sition, 240
Metritis, 227	in Sims's position, 241
Metrorrhagia, 93	Overien absocs 422
Micro-cyst of broad ligament, 560	Ovarian abscess, 433 adenoma, 565
Mikulicz drain, 55, 682	ovet 511
Miliary tuberculosis of the peritoneum 142	ascites in, 578
Morcellation of fibroid of uterus, 403	calcification of 566
Müllerian ducts, faulty development of, 130	course, 578
Multilocular cyst, 564 Myomata of utoma complication	duration, 578
Myomata of uterus complicating ovarian cyst, 587	
Myomectomy, 404	hemorrhage in, 574
, 202	intestinal obstruction from press-
NEEDLE, bayonet-pointed, 308	ure of, 578
Déschamp's, 410, 416	large, 562 physical signs, 580
exploratory, 42	proliferating, 579
Hagedorn, 341	results of pressure from, 573
Neoplasm, benign uterine, 387	symptoms, 571
of the bladder, diagnosis, 655 etiology, 654	termination, 578
symptoms, 654	dermoid, 568
treatment, 655	neoplasms, 559
of the urethra, 627	tumor, adhesions of, 575
Neuralgic dysmenorrhea, 99	diagnosis, 581 inflammation of, 574
diagnosis, 103	rupture of, 577
prognosis, 104	suppuration of, 574
symptoms, 101	symptoms, 575
Noma, 160	torsion of pedicle of, 576
Nuck, canal of, dilatation of, 166	Ovariotomy, 593
Nymphæ, absence of, 123	accidents during operation of, 601
hypertrophy of, 152	adhesions in, management of, 596
	adhesions following, 607
OBESITY, 587	bladder-injuries in, 604 clamp method of, 598
Ocular examination, 21	complications in, 605
Oöphorectomy, 593	after operations for, 606
Oöphoritis, 555	intestinal, 606
acute, 555	drainage in, 600

Ovariotomy, hemorrhage in, 597	Ovary, fibroma of, 569
fatal, 602	fibro-myomata of, 569
intraperitoneal method of, 598	malformation of, 551
operation of, 593	papillomata of, 383
for incomplete, 604	prolapse of, 552
pedicle in, 598	diagnosis, 552
cauterization of, 598	etiology, 552
transfixion of, 598	treatment, 553
peritoneum in, 594	sarcoma of, 385
toilet of, 600	diagnosis, 386 treatment, 386
rupture of cyst in, 602 sequelæ of, 605	solid tumors of, 569
steps in, 594	third, 513
stripping off the parietal peritoneu	
in, 601	Ovulation and menstruation, 83
trocar in, 595	theories of, 83
visceral injuries in, 603	Ovum, apoplectic, 528
Ovaritis, acute, 555	changes in, in tubal pregnancy, 528
course, 556	
description, 555	PACKING of uterus with gauze, 471
etiology, 556	Pad, Kelly's, 62
symptoms, 556	menstrual, 85
termination, 556	Pain after removal of appendages, 514
treatment, 556	menstrual, 97
chronic, 556	in pelvic inflammation, 450, 451, 480
diagnosis, 557	Palpation, bimanual, in pelvic inflamma- tion, 460
etiology, 557	of the coccyx, 24
symptoms, 557 treatment, 558	of the Fallopian tube, 27
interstitial, 449, 459	of the ovary, 27
chronic, 437	of the pelvis, 27
symptoms, 449, 450	of the round ligament, 27
Ovary, abscess of, 452, 462	of the ureter, 22, 27
prognosis, 474	of the uterus, bimanual, 26
and pyosalpinx, 440	rectal, 27
symptoms, 453, 462	recto-vaginal, 28
absence of, 131, 551	Papillary cystomata, 566
adhesions of, 444	excrescences of the vagina, 189
anatomy and physiology of, 544	Papilloma of the bladder, 652
anomalies of, 131	Papillomatous cystic tumor of ovary, 383 disease of broad ligaments, 384
bimanual palpation of, 27	Paquelin cautery in cervical carcinoma, 377
carcinoma of, 382 symptoms, 384	in the intra-abdominal amputation
treatment, 385	method, 408
congestion of, 553	in malignant growths of the vulva,
diagnosis, 554	356
termination, 554	in ovariotomy, 499
treatment, 554	in removal of ovarian cysts, 598
cyst of, areolar, 563	after total hysterectomy, soo
ascites from, 578	Parovarian cyst, 570
diagnosis, 586	Péan retractor, 470
atheromatous changes in, 566	Péan-Pryor trowel, 470
calcification of, 566	Pedicle in all varieties of cyst, 571
character of, 565	of ovarian tumor, torsion of, 576 ta, in ovariotomy, 598
complicated by uterine myoma 587	Pelvic abscess, 447
emptying, 594	course, 447
fatty degeneration of, 566	drainage of, 488
proligerous glandular, 563	evacuation of, 489
simple or follicular, 561	extraperitoneal, treatment, 492
etiology, 561	neglected, 516
cystomata of, 383	adhesions from, 517
displacements of, 552	opening into bowels, 489
treatment, 552	sinus from, 517
and Fallopian tube, adhesions of, 44	symptoms, 447
showing adhesions, 439	treatment, 490

Pelvic adhesions in ovariotomy, 597	Perineum, repair of, after-treatment of
cellulitis, 431, 446, 454, 466	operation for, 696
diagnosis, 466, 467	Perioophoritis, 555
physical signs in, 454	Peritoneal cavity, rupture of ectopic gesta-
prognosis, 474	Poritonoun adhesions of precess in 442
symptoms, 454	Peritoneum, adhesions of, process in, 442
floor, mechanism of, 317 frozen section of, 290	in Baldy's operation, 328, 329
	in ectopic gestation, 523
hematocele, 530 hematoma, 530	toilet of, in ovariotomy, 600 tuberculosis of, 142
inflammation, 421	caseous, 147
acute, 434	fibroid, 145
advisability of operation, 493	miliary, 142
after-effects of the treatment of,	in vaginal section for reposition of ute-
482	rus, 297
after-treatment, 483	Peritonitis, acute, complicated by inflam-
cause, 423	mation of appendages, 502
chronic, 461	electricity to remove lymph in, 442
cœliotomy for, 494	pelvic, 453, 464
counter-irritation in, 480	acute, 465
curettage in, 215	adhesions in, 465
diagnosis, 457	diagnosis, 464
douches in, 478	fibrinous form of, 431
gonorrhea as a cause of, 426, 427	pathology, 431
instruments as cause of, 424	recurrent attacks of, 493
management of bowels in, 477	serous forms of, 431
massage in, 486, 487	suppurative form of, 431
medication in, 484	symptoms, 453
menopause in, 473	suppurative, 440, 441
menstruation in, 451, 476	Periureteritis, 662
other operations than hysterectomy	etiology, 662
for, 515	pathological anatomy, 662
pain in, 450, 451, 480	Periurethral carcinoma, 356
pathologic anatomy of, 428, 429	symptoms, 356
prognosis, 472	Pessary, 322
prophylaxis of, 475	action of, 293
purulent, neglected, 516	benefit of, 296
removal of adhesions in, 495	for complete prolapse, 296
of appendages in, 464	contraindication to, 293
results of, 433	hollow rubber ball, 322
scarification of cervix in, 479	in relyie inflammation 482
septic infection in, 425	in pelvic inflammation, 483
traumatism per se in, 424 treatment, 474	with ring or cup, 296 Smith-Hodge 292 484
results of, 482	Smith-Hodge, 293, 484 soft-rubber ring, 293
ultimate treatment, 492	stem, 296
peritonitis, 453, 464	use of, 293
acute stage, 465	Phantom tumor, 586
adhesions in, 465	Phlegmasia alba dolens, 693, 694
diagnosis, 464	after operation, 693
pathology, 431	treatment, 694
recurrent attacks of, 493	Physometra, 585
septic, 432	Plastic operations, 333
symptoms, 453	after-treatment, 694
Pencils, chloride-of-zinc, 202	Plug, glass, vaginal, 175
Perineal retractor, 36	Polyp, fibroid, of cervix, 387
Perineorrhaphy, after-treatment, 343	of uterus, 387
flap-splitting method, 344	symptoms, 388
Perineum, action of sphincter ani in pro-	treatment, 388
moting laceration of, 314	glandular, of the cervix, 223
after-treatment of operation for repair	of the uterus, 198
of, 696	urethral, 628
and cervix, after-treatment of combined	vesical, 652
operation on, 696	Position, dorsal, 612
laceration of, 238	knee-chest, 20
as a cause of prolapse, 313	for cystoscopic examination, 611

Position, knee-chest, in pelvic inflammation, | Preparations for an examination, 18 Prolapse of the bladder, 632 diagnosis, 633 in prolapse, 332 symptoms, 632 in replacement of the uterus, 287 treatment, 633 left lateral, 19 of the intestines, 319 in pelvic inflammation, 483 lithotomy, in posterior vaginal section, of the ovary, 552 diagnosis, 552 etiology, 552 in vaginal hysterectomy, 504 treatment, 553 of a patient for examination, 19 of the urethra, 620 Sims's, 19 diagnosis, 620 in posterior vaginal section, 472 symptoms, 620 in reposition of the uterus, 289 treatment, 620 Trendelenburg, 20 of the uterus, 310 in intra-abdominal amputation, 407 acute, 319, 325 in ovariotomy, 499 causes, 310, 311, 313 in posterior vaginal section, 471 treatment, 326 in removal of the uterine appencomplete, 313 dages, 495 formation of, 314, 318 in total abdominal hysterectomy, pathology, 311 410 ulceration in, 314 upright, 20 consequences of, 312 Posterior pudendal hernia, 166 diagnosis, 320 Pregnancy, cornual, 518 mesial section of, 312 ectopic, 518 physiology, 317 decidua from, 533 prognosis, 321 photomicrograph of, 535 retroposition in, 318 diagnosis, 532 symptoms, 319 etiology, 519 tamponade of vagina in, 322 exciting causes, 521 treatment, 321 extraperitoneal rupture of, treatvarieties, 311 ment, 541 Proliferating cyst of ovary, 579 with fibroid of uterus, 534 Prurigo of the vulva, 159 galvano-puncture in, 539 Pruritus vulvæ, 160 hemorrhage in, 522 causes, 160 history of, 518 diagnosis, 161 intraperitoneal rupture of, treattreatment, 161 ment, 540 operation for intraligamentous Pryor's pathology, 520 fibroids, 415 period of rupture of, 527 Pseudo-hermaphrodism, 121 periods in treatment, 538 Puberty, 546 peritoneum in, 523 Pudendal hernia, 166 results of rupture in, 522 Puerperal septicemia as a cause of pelvic rupture of, into peritoneal cavity, inflammation, 425 524 results of fetal life continuing Purgatives in after-treatment of operation, in, 542 in pelvic inflammation, 477 transverse section of pelvis in, 524 Purulent salpingitis, 438 treatment, 538 Pyosalpinx, 452, 462 electricity in, 539 diagnosis, 463 tubal rupture in, 540 double, 439 tubo-peritoneal, 524 multiple, abscess-cavities in, 491 varieties, 518 and ovarian abscess, 440 extra-uterine, 578 prognosis, 474 from catarrhal salpingitis, 436 symptoms, 453, 462 menstruation during, 84 tubercular, 139 tubal, changes in ovum in, 528 diagnosis, 532 QUILTING ligature, 499 interstitial, 525 direction of rupture in, 526 RAPID dilatation of the uterus, 40 period of rupture, 527 Rectal examination, 27 physical signs in, 530 in pelvic inflammation, 461 symptoms, 529 Rectocele, 314-316 tubo-uterine, 525 Hegar's operation for, 340 Preparation of patient, previous, in disease of urethra, ureter, and bladder, 611 Recto-vaginal fistula, 266

Recto-vaginal fistula, treatment, 266	Retroflexion, acquired, complications in, 281
septum, complete rupture of, 247	diagnosis, 283
causes, 248	etiology, 280
immediate operation for,	
249	treatment, 284
intermediate operation	
for, 251	congenital, 278
secondary operation for,	operation in, 279
252	symptoms, 279
symptoms, 248	Retropositions acquired diagnosis in 281
incomplete rupture of, 239 denudation of, 242	Retropositions, acquired, diagnosis in, 281 Retroversion, acquired, 280
suture of, 244	complications in, 281
symptoms, 241	symptoms, 282
treatment, 241	treatment, 284
recent incomplete rupture of, 238	congenital, 278
sutures in, 238, 239	with anteflexion, 270
ulceration of, 369	treatment, 273
Rectum, examination by, 23	without enlargement, treatment, 293
Reduction of retrodisplaced uterus by	
sound, 288, 291	Round ligament, manner of searching for,
Relation of ureters and uterine arteries to	303, 304
cervix, 408	palpation of, 301
Relaxation of the vaginal outlet in the	in prolapse, 311
dorsal position, 240	shortening of, 299
in the Sims position, 241	by Alexander's operation, 301
Removal of appendages, prognosis in, 514	by Dudley's operation, 300
Renal calculus in ureter, 664	by Wylie's or Baer's opera-
catheter, 610	tion, 299
Reposition of retroflexed uterus, bimanual,	topographical anatomy of, 302, 303
285, 286	Rupture of ovarian tumor, 577
in fat women, 284	of the recto-vaginal septum, complete,
in knee-chest position, 287	247, 248 immediate energtion for
of uterus, 284 acquired retrodisplacement, ad-	immediate operation for, 249
hesions in, 298	intermediate operation
adherent retrodisplaced, 289	for, 251
after-treatment, 292	secondary operation for,
object of vaginal section in, 299	249
operations by abdominal incision,	symptoms, 248
299	incomplete, denudation of, 242
result of vaginal operation in, 297	old, 239
retrodisplacement, posterior vagi-	recent, 238
nal section in, 297	suture of, 244
with the sound, 288	sutures in, 239
Repositor, Sims-Pryor, 288	symptoms, 241
uterine, 287	treatment, 241
Rest in pelvic inflammation, 476	
Retention of menses, 82	SALINE infusion, 66
Retractor, Péan, 470	Salpingitis, 448
Retrodisplacements, acquired, adhesions of,	adhesions in, 438
bimanual reposition of 285	catarrhal, 436, 448
bimanual reposition of, 285 complications of, 292, 301	diagnosis, 457 physical signs, 455
knee-chest reposition, 287	prognosis, 472
object of surgical treatment, 297	symptoms, 448
treatment, 284	chronic, 437
of complications, 301	interstitial, 437
use of pessaries in, 292	interstitial, 449, 459
of uterine repositor in, 287	prognosis, 473
bimanual replacement in, 281	symptoms, 449, 450
direction of intra-abdominal pressure	suppurative, 438
in, 289	tubercular, 139
Retroflexion, acquired, 280	Sarcoma of the bladder, 653
bimanual replacement of, 282-284	of the ovary, 385
reposition of, 285, 286	diagnosis, 386

Sarcoma of the ovary, treatment, 386	Sphincter ani, dilatation of, after hyster-
of the uterus, 361	ectomy, 510
causes, 362	
diagnosis, 364, 365	muscle in perineorrhaphy, 341, 342
diffuse, prognosis, 365	repair of, by flap-splitting
symptoms, 363	method, 345
treatment, 366	rupture of, 248
	Sponges, sterilization of, 54
of the vagina, 357	Sterility, 111
diagnosis, 357	abnormalities of involution as causes
prognosis, 358	of, 113
treatment, 358	artificial impregnation in, 116
Scarification of cervix in pelvic inflamma-	
tion, 479	degeneration of the uterus as cause of,
Searcher, ureteral, 610	113
Searching for ureteral orifice, 612	diagnosis, 115
Section of abdomen, after-treatment, 670	displacements of the uterus as causes
of cervix, for anteflexion, 273, 274	of, 113
frozen, of Berry Hart, 523	etiology, 111
horizontal, above crests of ilium, 544	Fallopian tubes in, 112
of normal ovary, 547	ovaries in, 111
posterior vaginal, 468	uterus in, 112
transverse, of pelvis, in ectopic gesta-	vagina in, 114
tion, 524	general state of the patient's health in
Semen, artificial introduction of, into the	114
uterus, 116	obstruction theory of Sims, 272
Sepsis, 44	from occlusion of Fallopian tubes,
complications in, 688	472
after gynecologic operations, 686	prognosis, 115
from local suppuration, 688	as a symptom in elongation of cervix,
treatment, 688	332
symptoms, 686	of interstitial salpingitis and ova-
treatment, 686-688	ritis, 460
Septicemia, puerperal, a causation of pelvic	treatment, 115
inflammation, 425	urethral caruncle as a cause of, 114
Serre-nœud for hysterectomy, 406	
Shock after abdominal section, 685	of uterine origin, 272
differentiation from hemorrhage, 685	vaginitis as a cause of, 114
treatment, 686	Sterilization, 45
Silk, sterilization of, 51	of absorbent cotton, 54
Silkworm-gut, 307	by boiling water, 45
sterilization of, 52	of catgut, 52
Simon's method of examination, 38	chemical, 45
Simpson's sound, 30	of drains, 55
	of dressings, 54
Sims's operation for anterior colporrhaphy,	
	of the hands, 48
for colporrhaphy, 323	of instruments, 49
position, 19	of ligatures, 50
in posterior vaginal section, 398	of silk, 51
sound, 30	of silkworm-gut, 52
speculum, 35	of sponges, 54
uterine elevator, 32	by steam, 45
Sinus from a neglected pelvic abscess,	of suture-materials, 50
Sound utoning 20	of towels, 55
Sound, uterine, 30	Stitches in abdominal wall after hyster-
dangers of, 31	orrhaphy, 309
introduction of, 30	Stitch-hole abscesses, 683
replacement of uterus with, 288	treatment, 684
uses of, 31, 290	Stoltz's operation for cystocele, 340
in diagnosis, 291	Strangulation from pressure of cyst, 578
in prolapse of uterus, 320	Stricture of the ureter, 667
Speculum, bivalve, 37	of the urethra, 623
examination by, 33	causes, 623
Fergusson's, 36	diagnosis, 523
Goodell's, 36	prognosis, 624
introduction of, 37	symptoms, 623
Sims's, 36	treatment, 624

Stump after removal of uterine appendages,	Trocar in overiotomy 505
501	Tubal abortion, 525
Subcutaneous infusion, 67	anomalies, 544
Subinvolution, 227	gestation, varieties, 519
symptoms, 228	mole, 528
treatment, 228	pregnancy, 518
Suburethral abscess, 626	changes in ovum in, 528
cause, 626	diagnosis, 532
diagnosis, 626	differential, 536
symptoms, 626	periods in treatment, 538
treatment, 626	physical signs in, 530
Suction apparatus, 609	rupture of, 540
Suppression of menses, 86	with fetal life continuing, 542
Supravaginal hysterectomy, 405	symptoms, 529
Sutures in Alexander's operation, 305	Tuberculosis of the bladder, 649
in bladder-wound, 657	bacilli in the urine in, 650
catgut, in anterior colporrhaphy, 339	diagnosis, 650
in high amputation, 375	pathological anatomy, 649
in hysterorrhaphy, 308	symptoms, 650
in Stoltz's operation, 341	treatment, 651
in colpo-perineorrhaphy, 341	of the cervix uteri, 135
often equalection of interestical	of the Fallopian tubes, 139
after enucleation of interstitial myoma,	
in flan-splitting energtion 246	of the peritoneum, 142
in flap-splitting operation, 346	caseous, 147
in Freund's operation for prolapse, 325 interrupted, 342	
preparation of, 50	diagnosis, 149
silk, 305, 306	prognosis, 150
thread, 334	symptoms, 148
silkworm-gut, 306, 329, 346, 501	treatment, 150
silver-wire, 324	fibroid, 145
in Sims's anterior colporrhaphy, 339	diagnosis, 146
in ventral hernia, 692	prognosis, 146
in wedge-shaped amputation of cervix,	symptoms, 145
337	treatment, 146 miliary, 143
whipped silk, 406	diagnosis, 144
Syndroma menstrualis, 81	prognosis, 144
Syphilis of the vulva, 162	symptoms, 143
Syringe, uterine, 212	treatment, 144
	of the ureter, 664
TAIT's operation for artificial menopause,	diagnosis, 664
519	symptoms, 664
Tampon of the uterus, 213	treatment, 664
of the vagina in amputation of the	of the uterus, 137
cervix, 338	diagnosis, 138
in pelvic inflammation, 482	symptoms, 138
in perineorrhaphy, 343	treatment, 138
in posterior vaginal section, 472	of the vagina, 135
Tear corviced 221	treatment, 136
Tear, cervical, 231	of the vulva, 132
of the recto-vaginal septum, old, 239	diagnosis, 133
Technique of abdominal aparations co	treatment, 133
Technique of abdominal operations, 60 of gynecologic operations, 43	Tubo-ovarian cyst, 561
A	Tubo-peritoneal ectopic gestation, 524
peritoneal cavity), 58	Tubo-uterine pregnancy, 525
(in which the peritoneal cavity	Tumor, abdominal, adhesions of, 591
is opened), 65	exploratory puncture of, 592
Thiersch's operation, 631	pedicle of, 591
Third ovary, 513	treatment, 593
Thomas's operation for inversion, 351	cystic, 590 diagnosis 590
Total extirpation of the uterus, 410	desmoid, 588
Towels, sterilization of, 55	fecal, 589
Trachelorrhaphy, 323	malignant, of the vulva, 355
Trendelenburg position, 20, 307, 656	symptoms, 356
	The state of the s

Tumon of the comme all air of 575	. TT . 1 1 2 2 2 2 2
Tumor of the ovary, adhesions of, 575	Ureteral calculus, 665
diagnosis, 581	diagnosis, 655
inflammation of, 574	symptoms, 665
solid, 569 suppuration of, 574	treatment, 666
suppuration of, 574 symptoms, 575	catheter, 612
torsion of pedicle of, 576	fistula, 257
phantom, 586	diagnosis, 258 suture of, 259
Tympanites, 589	treatment, 258
-J parrico, 000	searcher, 610
ULCERATION of the recto-vaginal septum	Ureteritis 662
in carcinoma, 369	diagnosis, 663
Unilocular cyst, 563	etiology, 662
Upright position, 20	pathological anatomy, 662
Urachus, patulous, 629	symptoms, 663
Uremia from carcinoma, 370	treatment, 663
from ligature of ureter in operation, 697	Uretero-ureteral anastomosis, stitches in, 659
Ureter, anomalies of, 658	Uretero-vaginal fistula, 259
treatment, 658	Urethra, absence of, complete, 618
bladder-implantation of, 660	partial, 619
calculus of, 664	atresia of, 619
diagnosis, 665	treatment, 619
symptoms, 665	carcinoma of, 356
treatment, 666	treatment, 356
carcinoma of, 668	dilatation of, 41
catheterization of, 667 changes in wall of, causing obstruction,	in cystitis, 548
667	
course of, marked on abdomen, 618	diagnosis 622
cysts of, 669	diagnosis, 622 forms of, 622
direct palpation of, 618	symptoms, 622
diseases of, 608, 658	treatment, 623
preparation of patient in treatment	total, 621
of, 611	causes, 621
examination of, direct, 616	diagnosis, 621
indirect, 616	symptoms, 621
foreign bodies in, 664	treatment, 621
incision into, methods of, 666	diseases of, 618
injuries of, in ovariotomy, 604	preparation of patient in treat-
ligation of, during operation, after-	ment of, 611
treatment in, 697, 698	examination of, with cystoscope, 613
neoplasms of, 669	palpation of, 615
obstruction of, 664	prolapse of bladder through a patulous,
by changes in wall of, 667 diagnosis, 667	632
symptoms, 667	stricture of, 623
treatment, 668	causes, 623 diagnosis, 623
by outside pressure, 668	prognosis, 624
symptoms, 668	symptoms, 623
treatment, 668	treatment, 624
pelvic portion of, viewed from above,	Urethral caruncle, 627
617	symptoms, 627
viewed from below, 616	treatment, 627
relation of, to cervix, 408	catheter, 610
renal calculus in, 664	condyloma, 627
sarcoma of, 669	cause, 627
stricture of, 617	diagnosis, 627
treatment, 668	symptoms, 627
tuberculosis of, 664	treatment, 628
diagnosis, 694	cysts, 628
symptoms, 664	cause, 628
treatment, 664	symptoms, 628
vaginal palpation of, 22 wounds of, 658	treatment, 628
symptoms, 654	diverticulum, 626
treatment, 659, 660	fever, 639 fistula, 265
, 550, 550	nstara, 200

Urethral fistula, artificial, 265	Uterus, cervix of, amputation of, high, 373
mucosa, prolapse of, 620	procedure in, 374
cause, 620	simple, 333
diagnosis, 620	vaginal, in inversion, 352
symptoms, 620	wedge-shaped, 335
treatment, 620	curettage of, 210, 297
neoplasms, 627 orifice, searching for, 612	and cystic ovary, removed by hemisec- tion, 511
polypi, 628	decidua expelled from, from ectopic
treatment, 628	gestation, 533
Urethritis, 624	photomicrograph of, 535
causes, 624	didelphys, 129
gonorrheal, diagnosis, 625	dilatation of, gradual, 40
symptoms, 625	rapid, 40
treatment, 625	displacements of, 268
symptoms, 624	distortions of, 268
tubercular, symptoms, 625	duplex, 129
Urine in after-treatment of operation, 677	fibroid of, 389
Uterine appendages, changes following re-	calcareous degeneration of, 392
moval of, 516	classification, 389 complicated by ectopic gestation,
operation for removal of, 494 procedure for removal of, 497	534
removal of, accidents in, 500	complications met during hyster-
Trendelenburg position in, 495	ectomy for, 417
applications, 203	diagnosis, 396
applicators, 34	general considerations in, 418
arteries, relation of, to the cervix, 408	general symptoms, 396
colie, 102	hemorrhage in, 395
elevator, 32	interstitial, 391, 392
Byford's, 33	intraligamentous, 398
Sims's, 33	nodular, 394, 403
hemorrhage, 93	pain in, 394, 399
treatment, 95	pathology, 389
neoplasms, benign, 387	pedunculated, 393
secretion, 192 sounds, 30	polyp of, 387 symptoms, 388
dangers of, 31	treatment, 388
introduction of, 30	pressure-symptoms in, 395
uses of, 31	removal by morcellation of, 402
syringe, 212	reposition of bladder in, 298
Uterus, abnormalities of position of, 125	submucous, 397
absence of, 125	subperitoneal pedunculated, 391
adenoma of, benign, 196	subserous, method of removal of,
malignant, 378	404
papillary, 197	summary of treatment, 402
adhesions of, in pelvic peritonitis, 465	symptoms, 394
separation of, 445 amputation of, by Baldy's operation,	treatment, 400
327	by electricity, 401 by ergot, 400
anteflexion of, forms of, 268	surgical, 402
pathology, 269	fibro-myoma of, 389
applications to, 203	interstitial, diagnosis, 397
bicornis, 126, 127	subserous, diagnosis, 398
diagnosis of, from abdominal cyst,	fibro-sarcoma of, 361
584	symptoms, 363
bimanual palpation of, 26	glandular polyp of, 198
recto-vaginal palpation of, 28	growths within the, 585
carcinoma of the body of, 378	in hematosalpinx and hydrosalpinx,
diagnosis, 380	456
probability of return after	inflammatory diseases of, 190
removal, 382 symptoms, 379	intra-abdominal pressure in normal
treatment, 381	position of, 316 inversion of, 347
cervix of, amputation of, 373	causes, 347
after-treatment, 338, 376	diagnosis, 348
by galvano-cautery, 375	prognosis, 349

Utorus inversion of symptoms 247	Vacina onithaliams of 250
Uterus, inversion of, symptoms, 347	Vagina, epithelioma of, 358
treatment, 349	etiology, 358
malpositions of, 268	fibroids of, 189
morbid collections within the, 585	inflammation of, 182
myomata of, complicating ovarian	irrigation of, 186
cyst, 587	malignant disease of, 357
packing of, 298	neoplasms of, 188
with iodoform gauze, 338	non-malignant tumors of, 152
pathological anteflexion of, 268	papillary excrescences of, 189
in posterior vaginal section, 469	sarcoma of, 357
prolapse of, 310	diagnosis, 357
acute, 309	prognosis, 358
causes, 310, 311, 313	treatment, 358
chronic, 319	section of, posterior, 468
complete, 311	sensitiveness of, 173
consequences of, 312	tampon of, in amputation of the cervix,
diagnosis, 320	338
mesial section of, 312	in pelvic inflammation, 482
pathology, 312	in perineorrhaphy, 343
prognosis, 321.	in posterior vaginal section, 472
retroposition in, 318	in reposition, 298
symptoms, 319	tuberculosis of, 134
treatment, 321	Vaginal amputation of cervix in inversion,
varieties, 311	352
rapid dilatation of, 40	douches, 478
rectal palpation of, 25	drainage of pelvic abscess, 488
reposition of, Sims's position in, 289	entrance, examination of, 29
rudimentary, 125	enucleation of fibroid of uterus, 402
sarcoma of, 361	examination, 21
causes, 362	hysterectomy, 502
diagnosis, 364	dangers of, 513
diffuse, symptoms, 363	
	hemisection in, 511
prognosis, 365	instruments in, 512
symptoms, 363	for large uterus, 511
treatment, 366	operations (in which the peritoneal
secretion of, 193	cavity is opened), 65
separation of, from bladder in hyster-	(not opening the peritoneal cavity),
ectomy, 412	technic of, 58
septus, 128	outlet, relaxation of, in the dorsal posi-
tamponade of, 213	tion, 240
tuberculosis of, 137	in the Sims position, 341
diagnosis, 138	virginal, 238
symptoms, 138	plug, 175
treatment, 138	puncture in treatment of pelvic ab-
unicornis, 125	scess, 490
ventro-recto-vaginal reduction of, in	section, after-treatment, 670
retrodisplacement, 281	posterior, 468
	procedure in, 468
VAGINA, absence of, 122, 124	Vaginismus, 174
atresia of, 176	Vaginitis, 182
course, 177	diagnosis, 185
diagnosis, 178	emphysematous, 184
prognosis, 180	etiology, 182
symptoms, 178	follicular, 185
treatment, 160	gonorrheal, 183
varieties, 177	granular, 184
carcinoma of, 358	pathology, 183
diagnosis, 358	prognosis, 185
etiology, 358	simple, 183
operative treatment, 359	symptoms, 185
palliative treatment, 359	treatment, 185
symptoms, 358	varieties, 183
cysts of, 188	vesicular, 184
douches of, 186, 187	Varicose veins of the vulva, 165
drainage through, for pelvic abscess, 408	
enucleation of fibroid by way of, 428	Venereal warts of the vulva, 163

Ventral hernia, 588 after celiotomy, 691 Ventro-suspension of uterus, 387 Vesical calculus, 634 diagnosis, 637 etiology, 635 prognosis, 638 symptoms, 636 treatment, 638 varieties, 635 fistula, 259 Vesico-uterine fistula, 260 treatment, 260 Vesico-utero-vaginal fistula, 262 Vesico-vaginal fistula, 262 in treatment of cancer of urethra, 356 treatment, 263 Vicarious menstruation, 82 Villi, chorionic, in ectopic gestation, 538 Virginal vaginal outlet, 238 Viscera, injuries of, in ovariotomy, 603 Volvulus after ovariotomy, 606 Vomiting after operation, 671 Vulva, absence of, 122 carcinoma of, 355 chancre of, 163 chancroid of, 163 cysts of, 169 diphtheria of, 160 eczema of, 159 elephantiasis of, 168 erysipelas of, 160 exanthemata of, 158 fibroids of, 169

Vulva, gonorrhea of, 162 hematoma of, 164 herpes of, 158 inflammation of, 154 injuries of, 163 lipoma of, 171 non-malignant tumors of, 152 prurigo of, 159 pruritus of, 160 scirrhous carcinoma, sarcoma, and medullary sarcoma of, 355 specific diseases of, 162 syphilitic affections of, 162 tuberculosis of, 132 tumors of, 168 varicose veins of, 165 vegetations of, 162 venereal warts of, 163 Vulvitis, 154 follicular, 156 gonorrheal, 162 purulent, 155 simple, 155 Vulvo-vaginal glands, inflammation of, hyperesthesia, 173 WALDEYER's frozen section of pelvis, 290 Wall of abdomen, fatty, 588 Wedge-shaped amputation of cervix, 335 Wylie's or Baer's operation, 299 XENOMENIA, 82 ZINC-CHLORIDE pencils, 202